


water for wellness

WS 7000+ Water Cooler



- **\$\$** LG parts and components
- Touch-activated sensor operation
- \$\langle\$ Innovative design and technology
- Stainless steel reservoirs
- **\$\$** LED UV
- Enhanced alkalinity*
- State-of-the-art filtration and sanitization*
- Nutrient boost from added minerals*
- Suilt-in lead detection system
- Clean, fresh tasting water
- * When used with Wellsys proprietary filtration






135 E. St. Charles Road, C2 Carol Stream, Illinois 60188 **630-384-2000** www.pws-chicagoland.com







WS 7000+ Water Cooler




Taller design for more comfortable dispense height

Specifications

DESCRIPTION	SPECIFICATION
Weight	60 lbs
Dimensions	50"h x 11.8"w x 13.75"d
Colors	Black and white
Cold Tank Capacity	1.6 gallons (6.1 liters)
Hot Tank Capacity	0.7 gallons (2.7 liters)
Dispense Height	8.625"
Recommended Water Pressure	60-70 psi
Rated Voltage/Frequency	110v/60Hz @ 4.9 amps
Power Consumption	1.60 kWh/24 hours

Manufactured in Korea

Multi-Stage Purification Process







135 E. St. Charles Road, C2 Carol Stream, Illinois 60188 **630-384-2000** www.pws-chicagoland.com









water for wellness

WS PSD Sensor Dispense

- Sensor activated design allows for simple, touchfree dispensing of hot and cold water.
- Plug-and-play installation with a factory wiring harness for an easy, professional retrofit in minutes.
- Hot-water select features a safety delay to eliminate false dispenses.
- Sleek design developed and engineered to blend seemlessly with Wellsys coolers.

- Incorporates advanced sensor technology to ensure water only dispenses when YOU want it to.
- Available for models: WS 7000, WS 9000, WS 9000CT and WS 11000UV and will not void any pre-existing warranties.

Specifications

Dimensions

9" L x 0.75" W x 1.9" H







135 E. St. Charles Road, C2 Carol Stream, Illinois 60188

630-384-2000

www.pws-chicagoland.com



water for wellness

WS TOUCHLESS-DISPENSE DUAL FOOT PEDAL

- Foot pedal activation for simple handsfree dispensing of hot and cold water.
 - Hot safety is retained.
- Factory wiring harness and control board provide UL compliant hot safety and allow for easy, professional installation in minutes.
- Will not void any pre-existing warranties.

- Available for models: 7000, 9000, 11000, and 11000UV
- Commercial-quality materials are tested to 100,000 cycles.

Specifications

Dimensions

6.3" L x 10.4" W x 1.5" H





135 E. St. Charles Road, C2 Carol Stream, Illinois 60188

630-384-2000

www.pws-chicagoland.com